



Quality Modular Pontoon Systems

PRODUCT CATALOGUE

CUSTOMERS PRICE LIST


01.2025

BUILD DOCK

FLOATING DOCKS

2D Configurator

Shoreline - T shape



Dock Dimensions

**in meters*

A * m

B * m

C * m


D * m

☒ Gray

☐ Beige

☐ Blue

☐ Orange




3D Configurator



3D CONFIGURATOR

NEW FEATURE




Go to the Configurator



The System

Our floating system is designed to be simple: the blocks are held together strongly and firmly by specially designed mounting screws. All pieces are lightweight and provide easy handling.

The cubes are suitable for any shoreline. They are adaptable and can be assembled to create any shape and size - no limit for the configuration options.



Cube H40



Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 50 x 50 x 40 cm (Length / Width / Height)
 Weight: 6.8 kg
 Capacity: 92 kg per cube or 368 kg per m²

Grey
003622S16

Light Blue
003625S16

Beige
003628S16

Orange
003750S16

*Any colour per customers wishes

Cube H27



Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 50 x 50 x 27 cm (Length / Width / Height)
 Weight: 5.5 kg
 Capacity: 62 kg per cube or 248 kg per m²

Grey
003729S16

Light Blue
003730S16

Beige
003731S16

Orange
003778S16

*Any colour per customers wishes

V-Cube H40



Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 50 x 50 x 40 cm (Length / Width / Height)
 Weight: 8.0 kg
 Capacity: 80 kg per cube or 320 kg per m²

Grey
003743S16

V-Cube H27 Flat



Material / Composition: High-density Polyethylene (HDPE)
Surface: Anti-Slip
Dimensions: 50 x 50 x 27 cm (Length / Width / Height)
Weight: 7.5 kg
Capacity: 50 kg per cube or 200 kg per m²

Grey

003737S16

V-Cube H40 – Roller



Material / Composition: High-density Polyethylene (HDPE)
Surface: Anti-Slip
Dimensions: 50 x 50 x 40 cm (Length / Width / Height)
Weight: 8.5 kg
Capacity: 80 kg per cube or 320 kg per m²

Grey

003740S16

V-Cube H27 – Roller



Material / Composition: High-density Polyethylene (HDPE)
Surface: Anti-Slip
Dimensions: 50 x 50 x 27 cm (Length / Width / Height)
Weight: 8.0 kg
Capacity: 50 kg per cube or 200 kg per m²

Grey

003734S16

V-Cube H25 – Roller



Material / Composition: High-density Polyethylene (HDPE)
Surface: Anti-Slip
Dimensions: 50 x 50 x 25 cm (Length / Width / Height)
Weight: 8.0 kg
Capacity: 50 kg per cube or 200 kg per m²

Grey

003952S16

V-Cube H35 – Roller




Material / Composition: High-density Polyethylene (HDPE)
Surface: Anti-Slip
Dimensions: 50 x 50 x 35 cm (Length / Width / Height)
Weight: 8.0 kg
Capacity: 50 kg per cube or 200 kg per m²

Grey

003989S16

U-Slide H40 – Roller




Material / Composition: High-density Polyethylene (HDPE)
Surface: Anti-Slip
Dimensions: 100 x 50 x 40 cm (Length / Width / Height)
Weight: 12.0 kg
Capacity: 150 kg per U-slide or 300 kg per m²

Grey

2021BG001

U-Slide H40



Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 100 x 50 x 40 cm (Length / Width / Height)
 Weight: 10.5 kg
 Capacity: 150 kg per U-slide or 300 kg per m²

Grey

2021BG002

U-Slide H30 - Roller



Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 100 x 50 x 30 cm (Length / Width / Height)
 Weight: 12.0 kg
 Capacity: 100 kg per U-slide or 200 kg per m²

Grey

2021BG003

Connecting Pin TFP



Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 25.5 x 18.0 cm (Height / Ø)
 Weight: 0.480 kg

Grey

003850S16

Light Blue

003961S16

Beige

003962S16

Orange

003963S16

***Connecting Pin Standard**

***Any colour per customers wishes**



Grey

003623S16

Half Pin



Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 27.5 x 8 cm (Height / Ø)
 Weight: 0.330 kg

Grey

003624S16

Light Blue

003627S16

Beige

003630S16

Orange

003783S16

*Any colour per customers wishes

Sliding Nut



Material / Composition: High-density Polyethylene (HDPE)
 Dimensions: 5 x 9.5 cm (Length / Ø)
 Weight: 0.069 kg

Black

003728T16



Sliding Nut HD




Material / Composition: High-density Polyethylene (HDPE)
 Dimensions: 5 x 9.5 cm (Length / Ø)
 Weight: 0.069 kg

Grey

2025BG002



Nut



Material / Composition: High-density Polyethylene (HDPE)
 Dimensions: 3.5 x 8.5 cm (Length / Ø)
 Weight: 0.060 kg

Black

003650T16



Spacer



Material / Composition: High-density Polyethylene (HDPE)
Dimensions: 1.5 x 9 cm (Length / Ø)
Weight: 0.038 kg

Black

003732T16

Lug Connector BG

NEW



Material / Composition: High-density Polyethylene (HDPE)
Dimensions: 13.5 x 9 cm (Height / Ø)
Weight: 0.225 kg

Grey

2023BG005



Lug Connector with Ribs



Material / Composition: High-density Polyethylene (HDPE)
Dimensions: 13.5 x 9 cm (Height / Ø)
Weight: 0.225 kg

Black

003752T16

Connecting Pin with Top Up Ring



Material / Composition: High-density Polyethylene (HDPE) & INOX Steel

Surface: Anti-Slip

Dimensions: 30 x 18 cm (Height / Ø)

Weight: 2.500 kg

Black

2019BG002

Connecting Pin with Stud



Material / Composition: High-density Polyethylene (HDPE) & INOX Steel

Surface: Anti-Slip

Dimensions: 34 x 18 cm (Height / Ø)

Weight: 2.00 kg

Grey

2020BG014

Cleat



Material / Composition: INOX Steel / Hot Galvanized Steel

Dimensions: 20 x 37.5 cm (Width / Height)

Weight: 2.00 kg

Silver

2020BG001

Connecting Pin With Inox Cleat – Strong



Material / Composition: High-density Polyethylene (HDPE) & INOX Steel

Surface: Anti-Slip

Dimensions: 30 x 18 cm (Height / Ø)

Weight: 3.00 kg

Black

2018BG006

Inox Cleat PE 2.5 T



Material / Composition: High-density Polyethylene (HDPE) & INOX Steel

Dimensions: 44 cm x 23 cm x 18 cm
(Length/ width/ Ø)

Weight: 2.5 kg

Grey

2024BG001



Inox Cleat PE 5.0 T



Material / Composition: High-density Polyethylene (HDPE) & INOX Steel

Dimensions: 60 cm x 10 cm x 17 cm
(Length/ Width/ /Height)

Weight: 6.9 kg


***The Price includes 2 x Connecting Pin with Stud for the installation.**

Silver

2024BG002



2 x Connecting Pin with Stud



HDPE Cleat



Material / Composition: High-density Polyethylene (HDPE)
 Dimensions: 25 x 13 cm (Width / Height)
 Weight: 0.380 kg

Grey
 2023BG008



Connecting Pin with Solar Navigation Light



Material / Composition: High-density Polyethylene (HDPE)
 Dimensions: 38.5 x 18 cm (Height / Ø)
 Weight: 0.715 kg

Grey
 2021BG019

Light Blue
 2021BG020


Beige
 2021BG021

Orange
 2021BG022

***Changing LED Illumination colour: White, Green, Blue, Orange, Yellow, Red**



Connecting Pin with Solar Deck Light



Material / Composition: High-density Polyethylene (HDPE)
 Dimensions: 28 x 18 cm (Height / Ø)
 Weight: 0.700 kg

Grey
 2022BG001

Light Blue
 2022BG002

Beige
 2022BG003

Orange
 2022BG004

***LED Illumination colour: White**



Connecting Pin with Solar Deck Light – Blue



Material / Composition: High-density Polyethylene (HDPE)
 Dimensions: 28 x 18 cm (Height / Ø)
 Weight: 0.700 kg

Grey 2022BG013	Light Blue 2022BG014	Beige 2022BG015	Orange 2022BG016
-------------------	-------------------------	--------------------	---------------------

*LED Illumination colour: Blue




Single Fender




Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 50 x 25 x 35 cm (Length / Width / Height)
 Weight: 3.500 kg

Grey 2020BG003



Double Fender



Material / Composition: High-density Polyethylene (HDPE)
 Surface: Anti-Slip
 Dimensions: 100 x 20 x 27 cm (Length / Width / Height)
 Weight: 4.600 kg

Grey 2020BG004




E-Cube H40



Material / Composition: High-density Polyethylene (HDPE)
Surface: Anti-Slip
Dimensions: 50 x 50 x 40 cm (Length / Width / Height)
Weight: 6.8 kg
Capacity: 92 kg per cube or 368 kg per m²

Grey	Light Blue	Beige	Orange
004365S16	-----	-----	-----



INOX Ladder



Material / Composition: INOX Steel
Dimensions: 83 x 183 cm (Width / Height)
Weight: 18.00 kg
***The Price includes 4 x Connecting Pin with Stud for the Ladder installation.**

Silver

2018BG011



4 x Connecting Pin with Stud

INOX Ladder Flat Steps




Material / Composition: INOX Steel
Dimensions: 83 x 183 cm (Width / Height)
Weight: 18.00 kg

Silver

2023BG006



4 x Connecting Pin with Stud



***The Price includes 4 x Connecting Pin with Stud for the Ladder installation.**

Hot Dip Galvanized Ladder (5 Steps, Foldable)



Material / Composition: Hot-Dipped Galvanized Steel
Dimensions: 60 x 210 cm (Width / Height)
Weight: 34.00 kg

Silver

2024BG003



4 x Connecting Pin with Stud



***The Price includes 4 x Connecting Pin with Stud for the Ladder installation.**

Single Handrail Bar



Material / Composition: Galvanized Steel / INOX Steel
 Dimensions: 4,5 x 110 cm (Width / Height)
 Weight: 3.500 kg


Silver/Black	Silver
2018BG012	2018BG012.1

Middle HDPE Handrail Bar




Material / Composition: High-density Polyethylene (HDPE)
 Dimensions: 11 x 11 x 110 cm (Length / Height)
 Weight:

White
 2022BG017




Handrail



Material / Composition: Galvanized Steel
 Dimensions: 100/150/200 x 110 cm (Length / Height)
 Weight: _._ kg



Silver
 2023BG001, 100 cm
 2023BG002, 150 cm
 2023BG003, 200 cm



Installation Options

Available options for the installation of the Handrail 100 cm, 150 cm, upon project requirements – middle or external installation options.

⚠ Please, indicate in your quote inquiry the desired installation option for the Handrail 100,150 or 200 cm.



1 – External Installation



2 – Middle Installation

Connecting Pin with Umbrella Holder



Material / Composition: High-density Polyethylene (HDPE) & INOX Steel
Surface: Anti-Slip
Dimensions: 59 x 18 cm (Height / Ø)
Weight: 2.800 kg

Grey

2020BG015

Fishing Rod Holder



Material / Composition: High-density Polyethylene (HDPE)
Surface: Anti-Slip
Dimensions: 28 x 18 cm (Height / Ø)
Weight: 0.700 kg

Grey

2022BG018

Double Layer Connector HD



Material / Composition: High-density Polyethylene (HDPE)
Dimensions: 57 x 5 cm (Height / Ø)
Weight: 1.300 kg

White

2019BG006

Double Layer Connector



Material / Composition:

Dimensions:

Weight:


Grey

2023BG007

High-density Polyethylene (HDPE)

57 x 5 cm (Height / Ø)

1.300 kg



Storage Cube



Material / Composition:

Surface:

Dimensions:

Weight:

Capacity:

Hatch Dimensions:

High-density Polyethylene (HDPE)

Anti-Slip

50 x 50 x 40 cm (Length / Width / Height)

7.5 kg

92 kg per cube or 368 kg per m²

37.5 x 37.5 cm (Length / Width)

Grey

2021BG015

Light Blue

2021BG016

Beige


2021BG017

Orange

2021BG018

*Any colour per customers wishes

Side Roller Set – 1 piece



Material / Composition:

Dimensions:

Weight:


Red

2021BG004

INOX Steel / Polyurethane

44/55 x 18 cm (Height / Ø)

4.150 kg



Heavy Duty Side Roller Set



Material / Composition:

INOX Steel / Polyurethane

Dimensions:

***Designed for heavy boats**

130.5 cm x 27.5 cm x 19.0 cm

(Length / Width/ Height)

Weight:


10.00 kg

Red

2023BG012



The Price includes 3 x Connecting Pin with



Keel Roller RP-5 with Axis



Material / Composition:

Dimensions:

Weight:

Polyurethane, Steel AISI 316

12 x 7 cm (Length / Ø)

0.590 kg

***The Price includes 1 x INOX axis for the Keel Roller**

Red

2018BG010



1 x INOX Axis

Keel Roller RP-212 with Axis



Material / Composition:

Dimensions:

Weight:

Polyurethane, Steel AISI 316


29.5 x 6 cm (Length / Ø)

1.420 kg

***The Price includes 1 x INOX axis for the Keel Roller**

Red

2021BG005



1 x INOX Axis

Winch post with Bow Rollers/ no winch



Model Nº:

401.4-6

401.6-8

401.8-1

Material / Composition:

Dimensions:

Weight:

INOX Steel

680-800 x 102 x 600-800 mm
(Length / Width/ Height)

15.00 kg

Silver

401.4-6

Silver

401.6-8

Silver

401.8-1

Small Hand Winch with Strap



Model №:

Boats 1500 kgs / 6m

Boats 3000 kgs / 12m

Silver

103231

Silver

1032313

Electric Winch



Model №::

401513 | NINJA | Boats up to 2 000 kg

401520 | WARRIOR | Boats up to 3 500 kg

Description:

Winch is equipped with a 70% stronger Amortek winch rope instead of a traditional steel cable.

- Small winch rope assembled specially.
- Stainless steel winch adapter plate for attaching the electric winch to the winch pole.
- Stainless steel Battery box holder for a secure attachment to the trailer chassis
- 80 Amp. – model №: 401513/ 100 Amp. – model №: 401520
- High quality Semi-traction battery for long-term discharge.
- Fully automatic battery charger which, in addition to charging, also keeps the battery in top condition automatically.
- Main switch with red main switch key
- Remote control wired for both models and wired and wireless for **model №: 401520.**

 **The specified model is indicative and can be replaced with a similar according to the parameters model, available at the market.**

Assembling Tool



Material / Composition: INOX Steel
Dimensions: 55 x 100 cm (Width/ Height)
Weight: 4.150 kg

Silver
2018BG013

Nut Tool



Material / Composition: Aluminium
Dimensions: 36 x 9 cm (Length / Width)
Weight: 0.200 kg

Silver
2019BG013

Hexagon Screw Tool



Material / Composition: INOX Steel
Dimensions: 40 x 65 cm (Width/ Height)
Weight: 2.00 kg

Silver
2020BG017

Hex Bit Socket Set for Lug Connectors




Material / Composition: Chrome, Molybdenum, Alloy, Steel

Dimensions: Length: 6.5 cm (Width/Height)

Weight: 0.240 kg

GREY	RED
HPD 30430 GREY (L)	HPD DHR8 RED (S)



Hand Pile Driver



Material / Composition: Metal/ Iron

Dimensions: GREY (L):60x34x16 cm (Length/Width/Height)
RED (S):75x22.5x7.6 cm (Length/Width/Height)

Weight: GREY (L):15.12 kg; RED(S): 8.52 kg.

Model:
HPD 30430 GREY (L)
HPD DHR8 RED (S)

BulDock Grease Lubricant



Material / Composition: Food Grade Silicone Grease

Weight: 0.200 g

White
2022BG019

Anchoring Ring



Material / Composition: High-density Polyethylene (HDPE) & INOX Steel
 Dimensions: 31 x 9 cm (Length / Ø)
 Weight: 1.230 kg

Black

2019BG008

Anchoring Pin



Material / Composition: High-density Polyethylene (HDPE) & INOX Steel
 Surface: Anti-Slip
 Dimensions: 48 x 18 cm (Length / Ø)
 Weight: 2.500 kg

Black

2018BG004

Double Anchoring Beam




Material / Composition: Galvanized Steel
 Dimensions: 60 x 4 x 12 cm (Length / Width / Height)
 Weight: 2.00 kg

Silver

2022BG005



Side Mooring Set



Material / Composition: Galvanized Steel
 Dimensions: 60 x 12 cm (Length / Height)
 Weight: 4.00 kg

Silver

2022BG006



Helix ECO Anchors



Ellipse I



Ellipse II



Helix II R



Ellipse IIIS



Ellipse IVF

Model No:	Height / Ø Disk / Ø Rod	Weight:
Ellipse I	100 cm x 25cm x 2.5 cm	5.5 kg.
Ellipse II	150 cm x 25 cm x 2.5 cm	8.5 kg.
Helix II R	200 cm x 30 cm x 2.5 cm	19.0 kg.
Ellipse IIIS	200 cm x 30 cm x 3.0 cm	24.0 kg.
Ellipse IVF	300 cm x 30/40 cm x 3.0 cm	28.0 kg.

Tensile Strength Certificate	Ellipse I	Ellipse II	Ellipse IIIS	Ellipse IVF
Minimum holding certified by VERITAS – soft soil	0.8 t	1.0 t	2.3 t	4.0 t
Equivalent concrete block – soft soil	1.1 t	1.7 t	3.3 t	5.7 t
Minimum holding certified by VERITAS – compact soil	1.3 t	2.0 t	4.2 t	5.3 t
Equivalent concrete block – compact soil	1.8 t	2.9 t	6.0 t	7.7 t

Hot Dipped Galvanized Chain – DIN 764




Product Code:	Model:
2022BG027	HDG Ø 14 mm
2022BG028	HDG Ø 16 mm
2022BG029	HDG Ø 20 mm

Material / Composition: Hot Dipped Galvanized Steel
Standard: DIN 764 / Mooring Chain

Ø mm	P1 mm	W1 mm	BLL ¹	Weight kg/m
14 mm	49 mm	20 mm	98	4.10 kg
16 mm	56 mm	22 mm	128	5.40 kg
20 mm	70 mm	27 mm	200	8.50 kg

BLL = Breaking Load Limit




Hot Dipped Galvanized Shackle



Product Code:	Model:
2022BG030	HDG Ø 16 mm
2022BG031	HDG Ø 18 mm
2022BG032	HDG Ø 20 mm
2022BG033	HDG Ø 22 mm

Material / Composition: Hot Dipped Galvanized Steel
Standard: Stamped CEE, Diameter, W.L.L. brand
Safety Ratio: 4:1



Ø mm	B mm	H mm	C mm	kg / unit
16 mm	64 mm	32 mm	48 mm	0.47 kg
18 mm	71 mm	36 mm	54 mm	0.70 kg
20 mm	80 mm	38 mm	60 mm	0.79 kg
22 mm	85 mm	44 mm	66 mm	1.33 kg

Pile Guiding Cube H40



Dimensions Ø

Φ160 mm

Φ250 mm

Φ315 mm

Material / Composition:	High-density Polyethylene (HDPE)
Surface:	Anti-Slip
Dimensions:	50 x 50 x 40 cm (Length / Width / Height)
Weight:	8.00 kg
Capacity:	90 kg per cube or 368 kg per m ²

Grey

2018BG001

Light Blue

2018BG002

Beige


2018BG003

Orange

2018BG004

*Any colour per customers wishes

Adjustable Pile Guide – Aluminum Ø 160 mm –230 mm



Dimensions:

10 mm Single Plate

20 mm Double Plate

Material / Composition:	Aluminium
Dimensions:	50.5 x 50.5 cm (Length / Width)
Thickness:	10 mm / 20 mm
Weight:	11.50 kg / 17.00 kg
Adjustable Diameter:	Ø 160 mm – Ø 230 mm

Silver

10 mm 2023BG009

20 mm 2023BG010




Adjustable Pile Guide – HDPE Ø 200 mm –230 mm



Material / Composition:	High-density Polyethylene (HDPE)
Dimensions:	50.5 x 50.5 cm (Length / Width)
Thickness:	80 mm
Weight:	6.80 kg
Adjustable Diameter:	Ø 200 mm – Ø 230 mm

Grey

2023BG011




Pontoon-to-Pontoon Adaptor




Material / Composition: Hot Dipped Galvanized Steel

Silver

2019BG003




Pontoon-to-Pontoon Adaptor Double



Material / Composition: Hot Dipped Galvanized Steel

Silver

2024BG004




Mooring Arm Bracket



Material / Composition: Hot Dipped Galvanized Steel
Dimensions: 112 x 72 cm (Length / Height)
Weight: 17.500 kg

Silver

2019BG018



Wall Plate



Material / Composition: Hot Dipped Galvanized Steel
Dimensions:
Weight:

Silver

2019BG019

Galvanized Pile Bracket V2



Material / Composition: Galvanized Steel
Dimensions: 60 x 26 cm (Length / Width)
Weight: 3.00 kg

Silver

2021BG006


Wall Bracket Adaptor Plate – Galvanized – Model V



Material / Composition: Galvanized Steel
Dimensions: 20 x 20 x 17 cm (Length/Width/ Height)
Weight: 4.4 kg

Silver

2022BG007



Pipe Galvanized Steel Ø 48 mm



Material / Composition:

Galvanized Steel

Dimensions:

100 x 0.32 cm (Length / Width)

Pipe Diameter:

48 mm

Silver

2022BG008



Wall Bracket Adaptor Set Adjustable



Material / Composition:

Galvanized Steel

Dimensions:


⚡ On Request

Pipe Diameter:

100 mm

Silver

2019BG024



T – Beam



Length:

T-Beam **250 cm**


T-Beam **300 cm**

T-Beam **350 cm**

T-Beam **400 cm**


Material / Composition: Galvanized Steel

Silver 250 cm	Silver 300 cm	Silver 350 cm	Silver 400 cm
2022BG009	2022BG010	2022BG011	2022BG012



Specially designed for oversized and heavy boats more than 1000 kg. BulDock advise is customers to include one T-Beam in appropriate dimensions to the Boat Slider system to achieve bigger buoyancy and stability. For heavier boats, need to install two T-Beams to the Boat Slider.

⚠ For maximum efficiency of the T-Beam, we recommend the installation of the T-Beam through Anchoring Pins.



Aluminum Gangway with Handrails



Material / Composition:
Dimensions:


Aluminium
100 cm x 300 cm (Width/Length)

 **Various dimensions are available upon request.**

Silver

2022BG020

Pontoon Transition Plate



Dimensions Ø

100 cm

150 cm

Material / Composition:

Aluminium

Dimensions:

100 cm x 100 cm (Width/Length)

100 cm x 150 cm (Width/Length)

Silver

2022BG021

Silver

2022BG022

Plate Connecting Adaptor – Pier to Pontoon



Material / Composition:

Aluminium

Dimensions:

100 x 13 x 10 cm (Length/ Width/Height)

Weight:

2.600 kg

Silver

2022BG023

Plate Connecting Adaptor – Pontoon to Shore



Material / Composition:

Aluminum

Dimensions:

110 x 14 x 12 cm (Length/ Width/Height)

Weight:

7.400 kg

Silver

2022BG024

Air Lifter Set



Air Lifter Set include:

- Floater **600 L** or **2000 L**
- SUPER SILENT Compressor with electronic engine control
- Hoses, valves, accessories
- Fixing accessories



Model:

Air Lifter Set 600



Air Lifter Set 2 000

Air Compressor Specifications:

- Voltage: 230 V, 50 Hz.
⚡ **Please contact us for different voltage requirements.**
- Power: 1100 kW with 2 engines with metal tips, each 550 W.
- Noise Level: 65 dB
- Maximum Pressure: 8 bar
- Flow Rate: 240 l/min.
- Tank Volume: 50 l.
- Dimension **600 L**: 74 x 216 x h 51 cm
- Dimension **2000 L**: 110 x 260 x h 90 cm
- Weight 600L: 40 kg; 2000L: 80 kg




Boat Slider V-Slide Platform Installation



Boat Slider U-Slide Platform Installation


Jet Sliders

The **Jet Slider** is made of efficient new-generation HDPE (high-density polyethylene).



BulDock Jet Slider is a unique dry dock system.

The **Jet Slider** is lightweight, but thanks to its' technology, it is resistant to impact, chemical products, UV rays and severe weather conditions.



Its' exceptional design prevents any disproportionate strain on the hull by distributing the watercraft's weight evenly.

The **Jet Slider** does not feature any moving parts that might be damaged or would require maintenance.

Jet Sliders

Jet Slider 350

Material / Composition: High-density Polyethylene (HDPE)
Rollers: Polyurethane, Inox Steel
Surface: Anti-Slip
Dimensions: 350 x 150 x 27 cm (Length/Width/Height)
Weight: 135 kg


Grey

2018BG015

Beige

2018BG016

*Any colour per customers wishes



Jet Slider 400 Big Size

Material / Composition: High-density Polyethylene (HDPE)
Rollers: Polyurethane, Inox Steel
Surface: Anti-Slip
Dimensions: 400 x 150 x 40 cm (Length/Width/Height)
Weight: 180 kg


Grey

2018BG017

Beige

2018BG018

*Any colour per customers wishes



Jet Slider Twin450

Material / Composition: High-density Polyethylene (HDPE)
Rollers: Polyurethane, Inox Steel
Surface: Anti-Slip
Dimensions: 450 x 450 x 40 cm (Length/Width/Height)
Weight: 540 kg

Grey

2018BG019

Beige

2018BG020

*Any colour per customers wishes



1. Drill a hole

2. Fill with water


3. Put the cap on top




Fill with
WATER

Fill with
WATER


Jet Sliders




Jet Slider 300 H27



Jet Slider 350 H27




Jet Slider 350 H40




Jet Slider 350 H40 R


BULDOCK




Jet Slider 350 H27 L



Jet Slider 350 H27 R L




Jet Slider 350 H27 XL




Jet Slider 350 H27 R XL

Jet Sliders




Jet Slider 350 Twin H27




Jet Slider 350 Twin H40


BULDOCK




Jet Slider 400



Jet Slider 400 R




Jet Slider 400 L




Jet Slider 400 R L


Jet Sliders




Jet Slider 400 XL




Jet Slider 400 R XL




Jet Slider 400 Twin




Jet Slider 450 L



Jet Slider 450 R L




Jet Slider 450 XL




Jet Slider 450 R XL


Jet Sliders



Jet Slider 450 Twin



Jet Slider 450 R Twin



Boat Sliders

BulDock's Boat Slider is a unique dry-dock system. Its' exceptiona design prevents any disproportionate strain on the hull by distributing the watercraft's weight evenly. The Boat Slider does not feature any moving parts that might be damaged or would require maintenance. The **BulDock Boat Slider** is lightweight, resistant to UV rays, chemicals and collision.




V – Boat Sliders

Boat Slider V-Slide 550 & 650

Model:
BS V-SLIDE 550
BS V-SLIDE 650

Material / Composition: High-density Polyethylene (HDPE)
 Rollers: Polyurethane, Inox Steel
 Surface: Anti-Slip
 Dimensions: 550/650 x250x40 cm (Length/Width/Height)
 Weight: 390 / 465 kg




Grey 2018BG021	Beige 2018BG022
Grey 2018BG023	Beige 2018BG024

Boat Slider V-Slide 850 L & 1050 L


Model:
BS V-SLIDE 850 L
BS V-SLIDE 1050 L

Material / Composition: High-density Polyethylene (HDPE)
 Rollers: Polyurethane, Inox Steel
 Surface: Anti-Slip
 Dimensions: 850/1050 x350x40 cm (Length/Width/Height)
 Weight: 850 / 1050 kg




Grey 2020BG025	Beige 2020BG026
Grey 2020BG027	Beige 2020BG028


V – Boat Sliders




Boat Slider V-Slide 500



Boat Slider V-Slide 550




Boat Slider V-Slide 600




Boat Slider V-Slide 650


BULDOCK




Boat Slider V-Slide 700



Boat Slider V-Slide 750




Boat Slider V-Slide 800




Boat Slider V-Slide 850 L


V – Boat Sliders




Boat Slider V-Slide 900 L




Boat Slider V-Slide 950 L




Boat Slider V-Slide 1000 L




Boat Slider V-Slide 1050 L




Boat Slider V-Slide 500 L



Boat Slider V-Slide 550 L




Boat Slider V-Slide 600 L




Boat Slider V-Slide 650 L


V – Boat Sliders



Boat Slider V-Slide 700 L




Boat Slider V-Slide 750 L




Boat Slider V-Slide 800 L

BULDOCK



U – Boat Sliders


Boat Slider U-Slide 550 & 650



Material / Composition:	High-density Polyethylene (HDPE)
Rollers:	Polyurethane, Inox Steel
Surface:	Anti-Slip
Dimensions:	550/650 x200x40 cm (Length/Width/Height)
Weight:	303 / 357 kg

Grey	Grey
2021BG007 550	2021BG009 650


Boat Slider U-Slide 850 L & 1050 L




Material / Composition:	High-density Polyethylene (HDPE)
Rollers:	Polyurethane, Inox Steel
Surface:	Anti-Slip
Dimensions:	850/1050 x300x40 cm (Length/Width/Height)
Weight:	715 / 885 kg

Grey	Grey
2021BG011 850	2021BG013 1050


U – Boat Sliders




Boat Slider U-Slide 650 L




Boat Slider U-Slide 700 L




Boat Slider U-Slide 750 L




Boat Slider U-Slide 800 L




Boat Slider U-Slide 850 L



Boat Slider U-Slide 900 L




Boat Slider U-Slide 950 L




Boat Slider U-Slide 1000 L


U – Boat Sliders




Boat Slider U-Slide 1050 L




Boat Slider U-Slide 800 XL




Boat Slider U-Slide 850 XL




Boat Slider U-Slide 900 XL




Boat Slider U-Slide 950 XL



Boat Slider U-Slide 1000 XL




Boat Slider U-Slide 1050 XL




Boat Slider U-Slide 1100 XL


U – Boat Sliders




Boat Slider U-Slide 1150 XL




Boat Slider U-Slide 1200 XL



Boat Slider U-Slide 1250 XL



Boat Slider U-Slide 1300 XL



DISTRIBUTORS



BULGARIA

BulDock Ltd.

Address: 36 Okolovrasten pat Str., Perla Park Complex,
Small Building, 2nd Floor, 1415 Sofia, Bulgaria

Phone: +359 878 333 878

Email: office@buldock.com

Website: www.buldock.com



BENELUX



BulDock Benelux Office

Belgium, The Netherlands and Luxembourg)

Agent: Mr. Albert de Koning

Phone:

(NL) +31 644 491 100

(BE) +32 493 333 942

E-mail: benelux@buldock.com

Website: www.buldock.com



CROATIA

AREA MARIS d.o.o.

Address: Trg kralja Tomislava 7, 52100 Pula, Croatia

Email: info@areamaris.hr

Website: www.areamaris.hr



CZECHIA &



SLOVAKIA

Kola s.r.o.

Address: Prešov, Slovakia

Phone: +421 948 091 191

Email: info@buldock.sk

Website: www.buldock.sk

ESTONIA

ABC TENT OÜ

Address: Sassi, Mäksa küla Kastre vald Tartumaa 62306

Phone: +372 56240284

Email: info@abctent.ee

Website: www.abctent.ee



FRANCE

SEIMI

Address: 75 rue Amrial Troude, 29200 Brest France

Phone: +33 (0)2 98 46 11 02

Email: baptiste.jestin@seimi.com

Website: www.seimi-equipements-marine.com



GUADELOUPE,



MARTINIQUE,



SAINT BARTH,



SAINT MARTIN

ELECTRO-NAUTIC S.A.

Address: ZI De Jarry Impasse, Emile Dessout,
97122, Baie Mahault, Guadeloupe

Phone: +590 590 213 670; +590 690 388 957

Email: maxime.delacaze@electronautic.com



IRELAND

AKERLIND MARINE

Address: Aughnacloy House, Bawn, Stradbally, Co. Laois,
R32 W5T7, Ireland

Phone: +353 872 565 170

Email: malcolm@akerlindmarine.ie

Website: www.akerlindmarine.ie



MAURITIUS

Excellensea

Address: Excellensea, Forbach Road, Cottage, Zip code
31803, Mauritius

Phone: +230 52539750

Email: armand@excellensea.mu

Website: www.excellensea.mu



POLAND

Taurus Sea Power Sp. z o.o.

Address: Dziewięć Włók 33 a, 03-021 Pruszcz Gdański

Phone: +48 58 30 20 225

Email: taurus@taurus.gda.pl

Website: www.taurus.gda.pl



ROMANIA

SC. EPIC NAUTIC SRL

Phone: +40 742 697 048

Email: contact@intensewater.eu

Website: www.intensewater.eu



SEYCHELLES

PMC Auto

Phone: +248 271 0767 (Cedric); +248 271 7273 (Perry)

Email: cedric.doffay@pmcauto.com;

perry.mancienne@pmcauto.com



USA

TexDock Inc.

Address: Houston, TX

Phone: +1 404-910-3625

Email: sales@texdock.com

Website: www.buldockusa.com

DEALERS



BULGARIA

SALTUS Ltd.

Address: Hotel Marina Burgas, Aleksandar Batenberg Str., Burgas 8000, Bulgaria

Phone: +359 879 998 777

Email: ecobeach.solutions@gmail.com

Website: www.ecobeach.solutions



BULGARIA

BG Yachting

Address: Marina Nessebar, Monsignor Angelo Roncalli St.6, 8231 Nessebar, Bulgaria

Phone: +359 888 807 075

Email: pb@yachting.bg

Website: www.yachting.bg



AUSTRIA

KWTS GmbH

Address: Gewerbering 19/1/9, 3484 Grafenwörth, Austria

Phone: +43 699 14102243

Email: office@kwts.eu, marina.kindl@kwts.eu,
aleksandra.mladenic@kwts.eu

Website: www.kwts.eu



BELARUS,



LATVIA,



LITHUANIA,



RUSSIA,



UKRAINE

ABC TENT OÜ

Address: Sassi, Mäksa küla Kastre vald Tartumaa 62306

Phone: +372 56240284

Email: info@abctent.ee

Website: www.abctent.ee



CYPRUS

MORE WATERSPORTS LTD.

Address: Marathonos 13, 4040 Limassol, Cyprus

Phone: +357 99 43 42 95

Email: demetriou.e.b@cytanet.com.cy

Website: www.morewatersport.com



GERMANY

PonSys GmbH

Address: Laugkfeld 29, 01968 Senftenberg, Germany

Phone: +49 3573 797781

Website: www.ponsys.de



GREECE

IDEAGENESIS

Address: Thessaloniki

Phone: +30 23130-37-100

Mobile: +30 698-37-97-125

Email: info@ideagenesis.gr

Website: www.esc.guide/bulldock



HUNGARY

Amper Yacht Kft.

Phone: +36 30 417 4464

Email: info@amperyacht.hu

Website: www.amperyacht.hu



NETHERLANDS

Mobidock B. V.

Address: Beyerinckweg 5, 4251 LP Werkendam

Phone: +31 6 13 11 1433

Email: info@mobidock.com

Website: www.mobidock.com



UNITED KINGDOM

MURLAC

Address: Anders, Lichfield Road Industrial Estate, Tamworth, Staffordshire, B79 7TA

Phone: +44 121 313 1008

Email: scott.dawson@murlac.com

Website: www.murlac.com

Request a quote
Let's build your dock!

Become a **BulDock** distributor
Sign up now!

Get in touch

office@buldock.com
+359 878 333 878



Learn more about **BulDock**
products on our website

www.buldock.com